

CLINTON TOWNSHIP
ORDINANCE NO. 2021-01

AN ORDINANCE Amending the Township's Stormwater Management Ordinance requiring fencing around all stormwater detention and infiltration ponds having standing water depths of 3 feet or greater. This amendment shall amend Article VI, Section 127-22, Paragraph B, Item 15 of the Ordinance.

- (1) BE IT ORDAINED AND ENACTED BY THE CLINTON TOWNSHIP BOARD OF SUPERVISORS this 9th day of March, 2021, that the following shall be enacted as an Amendment to the Clinton Township Stormwater Management Ordinance,

Legislative Purpose and Intent

- A. The purpose of this Ordinance is to provide regulations governing fencing around stormwater management ponds.
- B. The regulations contained herein are meant to protect the health and safety of all residents and non0-residents of the Township.
- C. Fencing shall be required around the perimeter of stormwater management basins having standing water depths of three (3) feet or greater and shall be a minimum of 6 feet in height.

(2) Legislative Findings

- A. Having received input and commentary from the Planning Commission of Clinton Township, the Board of Supervisors of Clinton Township hereby finds that requiring fencing around all stormwater detention and infiltration ponds having standing water depths of three (3) feet or greater protects Township residents, non-residents, wildlife, and pets from hazards existing within these structures.
- B. Therefore, the Board of Supervisors for Clinton Township hereby enacts this Ordinance placing amending the Stormwater Management Ordinance of the Township.

127.0 Stormwater Management

Article VI Design Criteria

127.22 Guidelines for stormwater management and drainage facilities.

(15) Stormwater management basins.

(g) Fencing shall be required around the perimeter of all stormwater management basins. Fencing shall be a minimum of six (6) feet in height and installed around the perimeter of the pond at the top of the embankment allowing for a gated access to the basin for maintenance purposes.

Repealer. All Ordinances or parts of Ordinances of the Township of Clinton expressly conflicting with the provisions of this Ordinance are hereby repealed to the extent of such conflict.

BE IT ORDAINED AND ENACTED BY THE CLINTON TOWNSHIP BOARD OF SUPERVISORS this 3rd day of March, 2021, that the preceding shall be enacted as part of the Clinton Township Stormwater Management 127.0, a part of the Clinton Township Consolidated Ordinances.

ATTEST:

CLINTON TOWNSHIP
BOARD OF SUPERVISORS:



By: [Signature]
Chairman

By: [Signature]
Vice Chairman

By: [Signature]
Supervisor